

Enduro ET110A-11A Specifications (v8-0-8)				
Category		Description	Footnotes	
Operating system	1	Android [™] 11	2	
CPU and chipset	1	MTK MT8385 quad-core Cortex A73 2.0 GHz and quad-core Cortex A53 2.0 GHz processor		
Memory	1, 3, 4	Dual-channel LPDDR4X SDRAM support4 GB of onboard LPDDR4X system memory		
Display		10.1" display with IPS (In-Plane Switching) technology, Full HD 1920 x 1200, high-brightness (600 nits), LED-backlit TFT LCD with integrated multi-touch 16:10 aspect ratio Wide viewing angle Mercury free, environment friendly Antimicrobial Corning [®] Gorilla [®] Glass	5	
Audio		 Acer Purified.Voice technology with AI noise reduction in single digital microphone. Features include far-field pickup, dynamic noise reduction through neural network, and pre-defined personal and conference call modes. Two built-in stereo speakers 		
Storage		• 64 GB eMMC	6	
Webcam Wireless and	1	Video conferencing WFC with • 5M MIPI Camera • Compatible with Rugged Device only • 1080p Full HD video recording • 2592 x 1944 resolution UFC with • 5M MIPI Camera • Compatible with Rugged Device only • 95 degree wide angle view • 2592 x 1944 resolution • 1080p Full HD video recording		
networking	1	 WLAN 802.11a/b/g/n/ac wireless LAN Operates at 2.4 GHz and 5 GHz Support Bluetooth[®] 5.0 Location services GPS GLONASS support 		
Color options		Metallic Black		

Dimensions and 7, 8 weight	Dimensions	
	• 283.6 (W) x 192.6 (D) x 17.6 (H) mm (11.17 x 7.58 x 0.69 inches)	
	Weight	
	 0.975 kg (2.15 lbs.) with 2-cell battery pack 	
Power adapter 9	Power adapter	
and battery	2-pin 10 W AC adapter:	
	• 38.5 (W) x 22.0 (D) x 61.4 (H) mm (1.52 x 0.87 x 2.42 inches)	
	65 g without DC cable	
	Battery	
	 22.8 Wh 6000 mAh 3.8 V 2-cell Li-ion battery pack 	10
	(for models with Full HD Panel)	
	Battery life:	
	Up to 10 hours (based on video playback test results)	
	(Notes:	
	Battery life will vary according to use. Battery life measured by looping	
	720P video, brightness at 100nits, external headset, WLAN on and Gmail	
	logged in for email and updates.)	
nput and control	Control Keys	
	Power button	
	Volume up, volume down	
Input and output	USB Type-C	
	USB Type-C [™] port, supporting:	
	USB charging 5 V; 3 A	
	microSD card up to 128 GB (SDHC compatible, exFAT compatible)	
	Headphone/speaker jack	
Sensors	Accelerometer (G-sensor)	
	Ambient light sensor	
Options and	Antimicrobial	
accessories	Acer Antimicrobial 360 Design	
	Accessory	
	Acer Enduro Shoulder Strap	
	Acer Enduro Hand Grip	
	Acer Enduro Hand Strap	
System	RoHS compliance	
compliance	WEEE compliance	
	SMT green process	
Warranty	One-year International Travelers Warranty (ITW)	
Quality and	Military Reliability Test: Mechanical Shock (Unpackaged), Transit Drop	
reliability tests	182 cm (MIL-STD 810H)	
	Military Reliability Test: Mechanical Shock (Packaged), Transit Drop 182	
	cm (MIL-STD 810H)	
	Military Reliability Test: Vibration (MIL-STD 810H)	
	Military Reliability Test: Sand and Dust (MIL-STD 810F)	
	Military Reliability Test: Low Temperature (MIL-STD 810H)	1

Enduro ET110A-11A Specifications (v8-0-8)

Military Reliability Test: Salt Fog (MIL-STD 810H)	
Military Reliability Test: Humidity (MIL-STD 810H)	
Military Reliability Test: Rain (MIL-STD 810H)	
Military Reliability Test: High Temperature (MIL-STD 810H)	
Military Reliability Test: Low Pressure (Altitude) (MIL-STD 810H)	
Military Reliability Test: Explosive Atmosphere (MIL-STD 810H)	
IP (Ingress Protection) Rating	
IP54	
	Military Reliability Test: Humidity (MIL-STD 810H) Military Reliability Test: Rain (MIL-STD 810H) Military Reliability Test: High Temperature (MIL-STD 810H) Military Reliability Test: Low Pressure (Altitude) (MIL-STD 810H) Military Reliability Test: Explosive Atmosphere (MIL-STD 810H) IP (Ingress Protection) Rating

- 1. Specifications vary depending on model.
- 2. Android is a trademark of Google LLC.
- 3. Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by any memory used by the graphics solution and resources required by the operating environment.
- 4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- 5. All brands and product names mentioned herein include trademarks of their respective companies and are used solely to describe or identify the products.
- 6. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
- 7. Minor variations in system dimensions are possible due to the manufacturing process.
- 8. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
- 9. Listed battery life is based on testing using video playback. The test clip loops and continues to run, without interruption or any other inputs, until the battery is drained. Stated battery life is for comparison purpose only. Actual battery life varies by model, configuration, applications, video chip format and features used. A battery's maximum capacity decreases with time and use. Battery life test configuration: Intel[®] Pentium[®], FHD, eMMC only, 4GB of LPDDR4X memory. Battery life test condition: LCD brightness 150 nits, connected headphones, WLAN off, Bluetooth off and Better Battery Mode on.
- 10. Actual battery life may vary considerably by specifications, depending on product model, configuration, applications, power management settings, operating conditions, and features utilized. Performance variation also arises based on components in use, which includes but is not limited to the processor, RAM capacity, storage, display and resolution, etc.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2022. All rights reserved.

About Acer

Founded in 1976, Acer is one of the world's top ICT companies with a presence in more than 160 countries. As Acer evolves with the industry and changing lifestyles, it is focused on enabling a world where hardware, software and services will fuse with one another, creating ecosystems and opening up new possibilities for consumers and businesses alike. Acer's 7,500 employees are dedicated

Enduro ET110A-11A Specifications (v8-0-8)

to the research, design, marketing, sale, and support of products and solutions that break barriers between people and technology. Please visit www.acer.com for more information.



Appendix

v6-0-6 (Ver. 2) Dimensions and weight v7-0-7 (Ver. 3) Quality and reliability tests Input and output v8-0-8 (Ver. 4) Wireless and networking