

M O N I T O R G272C G272C

PATH TO THE FUTURE

Inspired by the rigorous quality testing in the production of MSI MAG series, MSI MAG series' design is full of symbols of sturdiness and durability. Additionally, to provide quality user experience, MAG series has really simple installation process and a friendly user interface, and will be the best choice for entry level gamers to step into the game world.



Picture and logos

SELLING POINTS

- 1000R Perfect Curved Screen Perfectly fits the curvature of the human eye so that you can see the entire screen without any fatigue.
- 170Hz Refresh Rate Real smooth gaming.
- 1ms response time eliminate screen tearing and choppy frame rates.
- Night Vision See every detail clearly in the dark, helping you find and attack enemies before they notice.
- Freesync premium Technology Tear free, stutter free, fluid gaming.
- HDMI CEC Profile Sync Set up profiles for multiple sets of devices and can automatically detect your settings.
- Frameless design Ultimate gameplay experience.



- **1.** 1x HDMI (2.0b)
- 2. 1x HDMI (2.0b)
- 3. 1x DisplayPort (1.2a)
- 4. 1x Earphone out
- 5. 1x Power Jack

MSi[®]

M O N I T O R G272C G272C

SPECIFICATION

	Screen Size	27" (69 cm)
	Active Display Area (mm)	596.736(H)x335.664(V)
	Curvature	Curve 1000R
	Panel Type	VA
	Resolution	1920x1080 (FHD)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	FreeSync Premium
	SDR Brightness (nits)	300
	Contrast Ratio	3000:1
	DCR (Dynamic Contrast Ratio)	10000000:1
	Signal Frequency	103~186.8 KHz(H) / 48~170 Hz(V)
	Refresh Rate	170Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	4ms
	Response Time (Tr + Tf)	20ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	
Display		Anti-glare
	NTSC (CIE1976 area percentage/overlap)	101.5% / 84.3%
	NTSC (CIE1931 area percentage/overlap)	82% / 77%
	sRGB (CIE1976 area percentage/overlap)	116.4% / 99.5%
	sRGB (CIE1931 area percentage/overlap)	118.9% / 99.9%
	Adobe RGB (CIE1976 area percentage/overlap)	99.8% / 89%
	Adobe RGB (CIE1931 area percentage/overlap)	88.1% / 81.9%
	DCI-P3 (CIE1976 area percentage/overlap)	92.7% / 92.3%
	DCI-P3 (CIE1931 area percentage/overlap)	87.6% / 87.4%
	Rec.709 (CIE1976 area percentage/overlap)	116.4% / 99.5%
	Rec.709 (CIE1931 area percentage/overlap)	118.9% / 99.9%
	Rec.2020 (CIE1976 area percentage/overlap)	67.6% / 67.6%
	Rec.2020 (CIE1931 area percentage/overlap)	62.9% / 62.9%
	Display Colors	16.7M
	Color bit	8 bits
	Note_DP	1920 x 1080 (Up to 170Hz)
	Note_HDMI™	1920 x 1080 (Up to 165Hz)
	Note_DVI	N/A
Onboard Graphics	HDMI™	2
I/O Ports	HDMI [™] version	2.0b
	HDMI [™] HDCP version	2.2
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	1.3
	Headphone-out	1
	Lock type	Kensington Lock
	Power Supply Type	External Adaptor 20V 2.25A
Power	Power Input	100~240V, 50/60Hz
	, over input	100 2704, 30/00112
Power	Adapter's KC safety Number	SU10469-15001



M O N I T O R G272C G272C

	3.5mm Mic Cable	0
In The Box	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
	DisplayPort Cable	1
	HDMI [™] Cable	0
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
		-
	3.5mm combo audio Cable	0
	Mouse Bungee Unit	0
	VESA Screw	4
	Power Cord	1
	AC Adaptor	1
	Warranty Card	0
	Quick Guide	1
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	100x100mm
	Frameless Design	Yes
Outer Certer Director (Mt.D.10)	Outer Carton Dimension (WxDxH) (mm)	1000 x 186 x 515
Outer Carton Dimension (WxDxH)	Outer Carton Dimension (WxDxH) (inch)	39.37 x 7.32 x 20.28
Draduct Dimension with Stand (M/vDv/I)	Product Dimension with Stand (WxDxH) (mm)	607 x 229 x 449
Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (inch)	23.9 x 9.02 x 17.68
Product Dimension without Stand (WxDxH)	Product Dimension without Stand (WxDxH) (mm)	607 x 112 x 372
	Product Dimension without Stand (WxDxH) (inch)	23.9 x 4.41 x 14.65
	Stand Dimension (WxDxH) (mm)	478 x 229 x 267
Stand Dimension (WxDxH)	Stand Dimension (WxDxH) (inch)	18.82 x 9.02 x 10.51
	Inside Carton Dimensions (WxDxH) (mm)	985 x 171 x 490
Dimension & Weight	Inside Carton Dimensions (WxDxH) (inch)	38.78 x 6.73 x 19.29
	Weight (Net kg)	4.7
	Weight (Gross kg)	7.5
Weight	Weight Without Stand (kg)	3.9
Warranty	Warranty	36M
	Part No	9S6-3CC91T-009
Model	Color	ID1/Black-Black
	EAN	4719072965709
Barcode Info	UPC	824142289976
Barcode Info	010	027172203370